


## Vaccine Preventable Diseases in Utah, 2018

Trends in vaccine-preventable diseases are tracked with the intent that the data can be helpful in developing collaborative immunization campaign efforts. The following data were provided by the Bureau of Epidemiology, Utah Department of Health, for statewide and local health districts.

## 2018 Rates of Vaccine Preventable Disease (per 100,000)

	Haemophilus influenzae Type B	Hepatitis A Virus	Hepatitis B Virus, Acute	Measles	Meningococcal Disease	Mumps
<b>Utah</b>	0.00	4.35	1.16	0.00	0.10	0.42
Bear River	0.00	0.55	0.00	0.00	0.00	0.00
Central Utah	0.00	5.02	1.26	0.00	0.00	0.00
Davis County	0.00	1.73	0.00	0.00	0.00	0.29
Salt Lake County	0.00	8.19	2.03	0.00	0.26	0.88
San Juan County	0.00	0.00	0.00	0.00	0.00	0.00
Southeast Utah	0.00	7.49	4.99	0.00	0.00	0.00
Southwest Utah	0.00	0.00	2.97	0.00	0.00	0.42
Summit County	0.00	7.30	0.00	0.00	0.00	0.00
Tooele County	0.00	1.48	0.00	0.00	0.00	0.00
TriCounty	0.00	1.78	1.48	0.00	0.00	0.00
Utah County	0.00	2.31	0.16	0.00	0.00	0.16
Wasatch County	0.00	6.23	0.00	0.00	0.00	0.00
Weber-Morgan	0.00	2.66	0.38	0.00	0.00	0.00
	Pertussis	Pneumococcal Disease	Rubella	Tetanus	Varicella	
<b>Utah</b>	13.93	7.96	0.00	0.00	6.32	
Bear River	18.79	9.40	0.00	0.00	4.42	
Central Utah	2.51	6.28	0.00	0.00	5.02	
Davis County	10.93	6.04	0.00	0.00	6.90	
Salt Lake County	15.85	9.77	0.00	0.00	7.04	
San Juan County	6.51	6.51	0.00	0.00	0.00	
Southeast Utah	4.99	2.50	0.00	0.00	2.50	
Southwest Utah	7.21	4.67	0.00	0.00	2.12	
Summit County	7.30	2.43	0.00	0.00	0.00	
Tooele County	4.45	2.96	0.00	0.00	0.00	
TriCounty	5.34	10.68	0.00	0.00	3.56	
Utah County	17.15	5.94	0.00	0.00	9.89	
Wasatch County	12.46	3.11	0.00	0.00	3.11	
Weber-Morgan	15.55	12.90	0.00	0.00	3.79	

State of Utah



Health Districts

