


## Vaccine Preventable Diseases in Utah, 2019

Trends in vaccine-preventable diseases are tracked with the intent that the data can be helpful in developing collaborative immunization campaign efforts. The following data were provided by the Utah Department of Health Bureau of Epidemiology for statewide and local health districts.

## 2019 Rates of Vaccine Preventable Disease (per 100,000)

	Haemophilus Influenzae Type B	Hepatitis A Virus	Hepatitis B Virus, Acute	Measles	Meningococcal Disease	Mumps
<b>Utah</b>	0.00	0.62	0.90	0.00	0.09	0.81
Bear River	0.00	0.54	0.00	0.00	0.00	0.00
Central Utah	0.00	0.00	0.00	0.00	0.00	7.32
Davis County	0.00	0.28	0.00	0.00	0.00	0.56
Salt Lake County	0.00	0.05	1.81	0.00	0.17	0.86
San Juan County	0.00	0.00	0.00	0.00	0.00	0.00
Southeastern Utah	0.00	0.00	0.00	0.00	0.00	0.00
Southwest Utah	0.00	0.79	1.19	0.00	0.00	2.38
Summit County	0.00	2.37	0.00	0.00	0.00	2.37
Tooele County	0.00	0.00	0.00	0.00	0.00	0.00
TriCounty	0.00	0.00	0.00	0.00	0.00	0.00
Utah County	0.00	1.10	0.63	0.00	0.16	0.16
Wasatch County	0.00	0.00	0.00	0.00	0.00	0.00
Weber-Morgan	0.00	0.73	0.37	0.00	0.00	0.00
	Pertussis	Pneumococcal Disease	Rubella	Tetanus	Varicella	
<b>Utah</b>	12.48	6.96	0.00	0.00	5.15	
Bear River	9.10	6.42	0.00	0.00	2.68	
Central Utah	3.66	7.32	0.00	0.00	10.98	
Davis County	7.03	5.91	0.00	0.00	3.66	
Salt Lake County	20.42	9.74	0.00	0.00	4.31	
San Juan County	0.00	13.07	0.00	0.00	0.00	
Southeastern Utah	0.00	0.00	0.00	0.00	0.00	
Southwest Utah	15.08	7.54	0.00	0.00	5.55	
Summit County	9.49	2.37	0.00	0.00	4.75	
Tooele County	6.92	4.15	0.00	0.00	4.15	
TriCounty	5.30	5.30	0.00	0.00	8.83	
Utah County	7.70	3.14	0.00	0.00	6.92	
Wasatch County	14.67	2.93	0.00	0.00	20.53	
Weber-Morgan	5.14	8.08	0.00	0.00	4.77	

State of Utah



Health Districts

